

Test Report

No.: SHAPH24013272209

Date: Jul 25, 2024

Page 1 of 19

Client Name: JIANGSU XINSHUN MICROELECTRONICS CO.,LTD

Client Address: NO.78 CHANGSHAN RD.,JIANGYIN CITY,JIANGSU PRO.,CHINA

Sample Name: epitaxy NPN chip

The above sample(s) and information were provided by the client.

SGS Job No.: SHIN2406004632PL05

Sample Receiving Date: Jun 18, 2024

Testing Period: Jun 18, 2024 ~ Jun 26, 2024

Test Requested: Select test(s) as requested by the client.

Test Method(s): Please refer to next page(s).

Test Result(s): Please refer to next page(s).

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Mei Shen

Mei Shen
Approved Signatory

Scan to see the report



Test Report

No.: SHAPH24013272209

Date: Jul 25, 2024

Page 2 of 19

Test Result(s):

Test Part Description:

SN ID	Sample No.	SGS Sample ID	Description
SN1	005	SHA24-0132722-0001.C005	Color silicon wafer

Remarks:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

EU RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU - Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE), Bis(2-ethylhexyl) phthalate (DEHP), Butyl benzyl phthalate (BBP), Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP)

Test Method: With reference to IEC 62321-4:2013+AMD1:2017, IEC 62321-5:2013, IEC 62321-7-2:2017, IEC 62321-6:2015 and IEC 62321-8:2017, analysis was performed by ICP-OES/AAS, UV-Vis and GC-MS.

Test Item(s)	Limit	Unit(s)	MDL	005
Lead (Pb)	1000	mg/kg	2	ND
Mercury (Hg)	1000	mg/kg	2	ND
Cadmium (Cd)	100	mg/kg	2	ND
Hexavalent Chromium (Cr(VI))	1000	mg/kg	8	ND
Polybromobiphenyl (PBB)	1000	mg/kg	-	ND
Monobrominated biphenyl (MonoBB)	-	mg/kg	5	ND
Dibrominated biphenyl (DiBB)	-	mg/kg	5	ND
Tribrominated biphenyl (TriBB)	-	mg/kg	5	ND
Tetrabrominated biphenyl (TetraBB)	-	mg/kg	5	ND
Pentabrominated biphenyl (PentaBB)	-	mg/kg	5	ND
Hexabrominated biphenyl (HexaBB)	-	mg/kg	5	ND
Heptabrominated biphenyl (HeptaBB)	-	mg/kg	5	ND
Octabrominated biphenyl (OctaBB)	-	mg/kg	5	ND
Nonabrominated biphenyl (NonaBB)	-	mg/kg	5	ND
Decabrominated biphenyl (DecaBB)	-	mg/kg	5	ND
Polybromodiphenyl ether (PBDE)	1000	mg/kg	-	ND
Monobrominated diphenyl ether (MonoBDE)	-	mg/kg	5	ND
Dibrominated diphenyl ether (DiBDE)	-	mg/kg	5	ND
Tribrominated diphenyl ether (TriBDE)	-	mg/kg	5	ND
Tetrabrominated diphenyl ether (TetraBDE)	-	mg/kg	5	ND
Pentabrominated diphenyl ether (PentaBDE)	-	mg/kg	5	ND
Hexabrominated diphenyl ether (HexaBDE)	-	mg/kg	5	ND
Heptabrominated diphenyl ether (HeptaBDE)	-	mg/kg	5	ND

Test Report

No.: SHAPH24013272209

Date: Jul 25, 2024

Page 3 of 19

Test Item(s)	Limit	Unit(s)	MDL	005
Octabrominated diphenyl ether (OctaBDE)	-	mg/kg	5	ND
Nonabrominated diphenyl ether (NonaBDE)	-	mg/kg	5	ND
Decabrominated diphenyl ether (DecaBDE)	-	mg/kg	5	ND
Bis(2-ethylhexyl) phthalate (DEHP)	1000	mg/kg	50	ND
Butyl benzyl phthalate (BBP)	1000	mg/kg	50	ND
Dibutyl phthalate (DBP)	1000	mg/kg	50	ND
Diisobutyl phthalate (DIBP)	1000	mg/kg	50	ND

Notes:

- (1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.
- (2) IEC 62321 series is equivalent to EN 62321 series.
- (3) The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021.

Element(s)

Test Method: With reference to US EPA 3052:1996, analysis was performed by ICP-OES/AAS.

Test Item(s)	Unit(s)	MDL	005
Arsenic(As)	mg/kg	10	1066
Antimony(Sb)	mg/kg	10	ND

Halogen

Test Method: With reference to EN 14582:2016, analysis was performed by IC.

Test Item(s)	Unit(s)	MDL	005
Fluorine(F)	mg/kg	20	ND
Chlorine(Cl)	mg/kg	50	ND
Bromine(Br)	mg/kg	50	ND
Iodine(I)	mg/kg	50	ND

Red Phosphorus

Test Method: With reference to SGS In house method, analysis was performed by ICP-OES and Pyrolysis-GC-MS.

Test Item(s)	CAS No.	Unit(s)	MDL	005
Red Phosphorus	7723-14-0	mg/kg	500	ND

Notes:

- (1) The testing result is based on the worst-case scenario, and confirmed by Pyrolysis-GC-MS.

European Regulation POPs (EU) 2020/784 amending to Regulation (EU) 2019/1021 Annex I - Perfluorooctanoic acid (PFOA) and its salts, PFOA-Related Substances, Perfluorooctane sulfonic acid (PFOS) and its derivatives

Test Report

No.: SHAPH24013272209

Date: Jul 25, 2024

Page 4 of 19

Test Method: Modified CEN/TS 15968:2010, analysis was performed by LC-MS or LC-MS/MS and GC-MS.

Test Item(s)	CAS No.	Limit	Unit(s)	MDL	005
PFOS, its salts and related compounds					
Perfluorooctane sulfonic acid (PFOS), its salts^	1763-23-1	-	mg/kg	0.010	ND
N-ethylperfluoro-1-octanesulfonamide (N-EtFOSA)	4151-50-2	-			

Test Report

No.: SHAPH24013272209

Date: Jul 25, 2024

Page 5 of 19

Test Item(s)	CAS No.	Limit	Unit(s)	MDL	005
Conclusion					Pass

Notes:

1. ^=Substances refer to its salts/derivative listed in below table.

Substance Name	CAS No.
PFOS, its salts & derivatives	
Perfluorooctane sulfonic acid (PFOS)	1763-23-1
Potassium Perfluorooctanesulfonate (PFOS-K)	2795-39-3
Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	29457-72-5
Sodium perfluorooctanesulfonate (PFOS-Na)	4021-47-0
Ammonium perfluorooctanesulfonate (PFOS-NH ₄)	29081-56-9
Perfluorooctane sulfonate diethanolamine salt (PFOS-NH ₂ (C ₂ H ₄ OH) ₂)	70225-14-8
Perfluorooctanesulfonic acid,tetraethylammonium salt (PFOS-N(C ₂ H ₅) ₄)	56773-42-3
N-decyl-N,N-dimethyldecane-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-N(C ₁₀ H ₂₁) ₂ (CH ₃) ₂)	251099-16-8
TetrabutylAmmonium perfluorooctanesulfonate (PFOS-N(C ₄ H ₉) ₄)	111873-33-7
Perfluorooctane Sulfonyl fluoride (PFOS-F)	307-35-7
Magnesium bis(heptadecafluorooctanesulphonate) (PFOS-Mg)	91036-71-4
Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate	71463-74-6
PFOSA, its salts	
Perfluorooctane Sulfonamide (PFOSA)	754-91-6
Perfluorooctanesulfonamide lithium salt (1:1) (PFOSA-Li)	76752-79-9
Perfluorooctanesulfonamide Sodium salt (1:1) (PFOSA-Na)	76752-78-8
Perfluorooctanesulfonamide Potassium salt (1:1) (PFOSA-K)	76752-70-0
Perfluorooctanesulfonamide Ammonium salt (1:1) (PFOSA-NH ₄)	76752-72-2
PFOA, its salts & derivatives	
Perfluorooctanoic acid (PFOA)	335-67-1
Sodium perfluorooctanoate (PFOA-Na)	335-95-5
Potassium perfluorooctanoate (PFOA-K)	2395-00-8
Silver perfluorooctanoate (PFOA-Ag)	335-93-3
Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6
Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluoro-, chromium(3+) (PFOA-Cr(3+))	68141-02-6
Pentadecafluorooctanoic acid--piperazine (2/1)PFOA-NH(C ₄ H ₁₀ N)	423-52-9
Pentadecafluorooctanoate (anion)	45285-51-6
Perfluorooctanoic Anhydride	33496-48-9
8:2 FTS, its salts	
1H,1H,2H,2H-Perfluorodecanesulfonic acid (8:2 FTS)	39108-34-4
Potassium 1H,1H,2H,2H-Perfluorodecane sulfonate (8:2 FTS-K)	438237-73-1
Ammonium 1H,1H,2H,2H-Perfluorodecane sulfonate (8:2 FTS-NH ₄)	149724-40-3
Sodium 1H,1H,2H,2H-Perfluorodecane sulfonate (8:2 FTS-Na)	27619-96-1

Test Report

No.: SHAPH24013272209

Date: Jul 25, 2024

Page 6 of 19

H₂PFDA/8:2 FTCA, its salts	
2H,2H-Perfluorodecane Acid (H ₂ PFDA/8:2 FTCA)	27854-31-5
Tetrabutylphosphonium 2H,2H-Perfluorodecanoate (8:2 FTCA-P(C ₄ H ₉) ₄)	882489-14-7
8:2diPAP, its salts	
Bis(3,3,4,4,5,5,6,6,7,7,8,8,9,9,10,10,10-hepta-decafluorodecyl) hydrogen phosphate (8:2diPAP)	678-41-1
Sodium bis(1H,1H,2H,2H-perfluorodecyl)phosphate (8:2diPAP-Na)	114519-85-6
H₄PFUnDA/ 8:3 FTCA, its salts	
2H,2H,3H,3H-Perfluoroundecanoic acid (H ₄ PFUnDA/ 8:3 FTCA)	34598-33-9
Potassium 2H,2H,3H,3H-Perfluoroundecanoate (H ₄ PFUnDA-K)	83310-58-1

Persistent, Bioaccumulative, and Toxic (PBT) Chemicals under US EPA Toxic Substances Control Act (TSCA) Section 6(h)

Test Method: With reference to US EPA 3550C:2007, analysis was performed by GC-MS.

Test Item(s)	CAS No.	Limit	Unit(s)	MDL	005
Decabromodiphenyl ether (DecaBDE) ¹	1163-19-5	Prohibited	mg/kg	5	ND
Phenol, isopropylated phosphate (3:1)	68937-41-7	Prohibited	mg/kg	5	ND

(BDC q 249(* 49.7) (P 3:1) 04 68937-41-7 Tm* EM f.91 5 444.91 480m1C7 EMC q 36 W 13 9 0 1 62.304 458.95 T* BT TJ ET Q 9 47.24 446.64 5.19 q 444.91 50. EMC 1G7 74.49.re W0 0 178d /T

Test Report

No.: SHAPH24013272209

Date: Jul 25, 2024

Page 7 of 19

Test Item(s)	CAS No.	Limit	Unit(s)	MDL	005
Benzo(a)pyrene (BaP)	50-32-8	1	mg/kg	0.1	ND
Benzo(e)pyrene (BeP)	192-97-2	1	mg/kg	0.1	ND
Benzo(a)anthracene (BaA)	56-55-3	1	mg/kg	0.1	ND
Benzo(b)fluoranthene (BbF)	205-99-2	1	mg/kg	0.1	ND
Benzo(j)fluoranthene (BjF)	205-82-3	1	mg/kg	0.1	ND
Benzo(k)fluoranthene (BkF)	207-08-9	1	mg/kg	0.1	ND
Chrysene (CHR)	218-01-9	1	mg/kg	0.1	ND
Dibenzo(a,h)anthracene (DBA)	53-70-3	1	mg/kg	0.1	

Test Report

No.: SHAPH24013272209

Date: Jul 25, 2024

Page 8 of 19

Benzo(e)pyrene (BeP) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(a)anthracene (BaA) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(b)fluoranthene (BbF) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(j)fluoranthene (BjF) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(k)fluoranthene (BkF)mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene (CHR) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo(a,h)anthracene (DBA) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo(g,h,i)perylene (BPE) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno(1,2,3-cd)pyrene (IPY) mg/kg	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Phenanthrene (PHE), pyrene (PYR), anthracene (ANT), fluoranthene (FLT), mg/kg	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Naphthalene (NAP) mg/kg	< 1	< 2	< 10	< 20	< 50
Sum of 15 PAHs	<1	< 5	< 10	< 20	< 50

Notes:

^a A "Child" is legally defined as a person before reaching the age of 14 years.

^b Use by children includes both active and passive contact by children.

^c Definition "short-term repetitive contact" taken from REACH Annex XVII entry 50 amendment (Regulation (EC) No.1272/2013)

^d According to the definition of the German Product Safety Act (ProdSG) (chapter 1 Article 2 No. 28) "foreseeable use" shall mean the use of a product in a manner that the person placing it on the market, has not intended, but which could be reasonably foreseeable.

Remark:


The German committee on Product Safety (AfPS) published a new PAHs document (AfPS GS 2019:01 PAK) on April 10, 2020, which will be binding for the issue of GS mark certificate from July 1, 2020.

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule ($w=0$) stated in ILAC-G8:09/2019.


ATTACHMENTS

Elements Testing Flow Chart


These samples were dissolved totally by pre-conditioning method according to below flow chart.




Hexavalent Chromium (Cr(VI)) Testing Flow Chart




Phthalates Testing Flow Chart




Elements Testing Flow Chart




Halogen Testing Flow Chart




Red Phosphorus Testing Flow Chart



PFASs/ PFOS/PFOA Testing Flow Chart



PAHs Testing Flow Chart




Test Report

No.: SHAPH24013272209

Date: Jul 25, 2024

Page 19 of 19

Sample Photo:



SGS authenticate the photo on original report only
*** End of Report ***